

Recess Punches  
& Fastener Tooling



**REG  
ELLEN  
MACHINE TOOL CORP.**

2135 Kishwaukee St.

Rockford, IL. 61104

(815) 964-0099

Fax: (815) 964-0482

[www.regellen.com](http://www.regellen.com)

# J.I.S. Wood Screws



## Punch Numbers




SCREW SIZE	ROUND HEAD	FLAT HEAD	OVAL HEAD
<b>2.1</b>	<b>W21R</b>	<b>W21F</b>	<b>W21O</b>
BODY DIA.	12mm	12mm	12mm
<b>2.4</b>	<b>W24R</b>	<b>M#3F</b>	<b>W24O</b>
BODY DIA.	12mm	12mm	12mm
<b>2.7</b>	<b>W27R</b>	<b>W27F</b>	<b>W27O</b>
BODY DIA.	12mm	12mm	12mm
<b>3.1</b>	<b>W31R</b>	<b>W31F</b>	<b>W31O</b>
BODY DIA.	14mm	14mm	14mm
<b>3.5</b>	<b>W35R</b>	<b>W35F</b>	<b>W35O</b>
BODY DIA.	14mm	14mm	14mm
<b>3.8</b>	<b>W38R</b>	<b>W38F</b>	<b>W38O</b>
BODY DIA.	14mm	14mm	14mm
<b>4.1</b>	<b>W41R</b>	<b>M45F</b>	<b>W41O</b>
BODY DIA.	18mm	14mm	18mm
<b>4.5</b>	<b>W45R</b>	<b>W#8F</b>	<b>W45O</b>
BODY DIA.	18mm	14mm	18mm
<b>4.8</b>	<b>M50R</b>	<b>W48F</b>	<b>W48O</b>
BODY DIA.	18mm	18mm	18mm
<b>5.1</b>	<b>W51R</b>	<b>W51F</b>	<b>W51O</b>
BODY DIA.	18mm	18mm	18mm
<b>5.5</b>	<b>M60R</b>	<b>W55F</b>	<b>W55O</b>
BODY DIA.	18mm	18mm	23mm
<b>5.8</b>	<b>W58R</b>	<b>W58F</b>	<b>W58O</b>
BODY DIA.	23mm	18mm	23mm
<b>6.2</b>	<b>W62R</b>	<b>M1/4F</b>	<b>W62O</b>
BODY DIA.	23mm	18mm	23mm
<b>6.8</b>	<b>W68R</b>	<b>M#16F</b>	<b>W68O</b>
BODY DIA.	23mm	18mm	23mm
<b>7.5</b>	<b>W75R</b>	<b>W75F</b>	<b>W75O</b>
BODY DIA.	23mm	23mm	23mm
<b>8.0</b>	<b>W80R</b>	<b>M5/16F</b>	<b>W80O</b>
BODY DIA.	23mm	23mm	23mm
<b>9.5</b>	<b>W95R</b>	<b>W95F</b>	<b>W95O</b>
BODY DIA.	25mm	25mm	25mm



# J.I.S. Machine Screws & Self Tapping Screws

## Punch Numbers



SCREW SIZE	PAN HEAD	FLAT HEAD	OVAL HEAD	TRUSS HEAD	BINDING HEAD	ROUND HEAD
<b>M2</b>	<b>M20P</b>	<b>M20F</b>	<b>M20O</b>	<b>M20T</b>	<b>M20B</b>	<b>M20R</b>
BODY DIA.	12mm	12mm	12mm	12mm	12mm	12mm
<b>M2.2</b>	<b>M23P</b>	<b>M23F</b>	<b>M22O</b>	<b>M22T</b>	<b>M22B</b>	<b>M23R</b>
BODY DIA.	12mm	12mm	12mm	12mm	12mm	12mm
<b>M2.3</b>	<b>M23P</b>	<b>M23F</b>	<b>M23O</b>	<b>M23T</b>	<b>M23B</b>	<b>M23R</b>
BODY DIA.	12mm	12mm	12mm	12mm	12mm	12mm
<b>M2.5</b>	<b>M26P</b>	<b>M26F</b>	<b>M25O</b>	<b>M25T</b>	<b>M25B</b>	<b>M26R</b>
BODY DIA.	12mm	12mm	12mm	12mm	12mm	12mm
<b>M2.6</b>	<b>M26P</b>	<b>M26F</b>	<b>M26O</b>	<b>M26T</b>	<b>M26B</b>	<b>M26R</b>
BODY DIA.	12mm	12mm	12mm	12mm	12mm	12mm
<b>M3</b>	<b>ISO</b>	<b>ISO</b>	<b>ISO</b>	<b>ISO</b>	<b>ISO</b>	<b>ISO</b>
	<b>M30P</b>	<b>M30F</b>	<b>M30O</b>	<b>M30T</b>	<b>M30B</b>	<b>M30R</b>
BODY DIA.	12mm	12mm	12mm	12mm	12mm	12mm
<b>M3.5</b>	<b>M35P</b>	<b>M35F</b>	<b>M35O</b>	<b>M35T</b>	<b>M35B</b>	<b>M35R</b>
BODY DIA.	14mm	14mm	14mm	14mm	14mm	14mm
<b>M4</b>	<b>ISO</b>	<b>ISO</b>	<b>ISO</b>	<b>ISO</b>	<b>ISO</b>	<b>ISO</b>
	<b>M40P</b>	<b>M40F</b>	<b>M40O</b>	<b>M40T</b>	<b>M40B</b>	<b>M40R</b>
BODY DIA.	14mm	14mm	14mm	14mm	14mm	14mm
<b>M4.5</b>	<b>M45P</b>	<b>M45F</b>	<b>M45O</b>	<b>M45T</b>	<b>M45B</b>	<b>M45R</b>
BODY DIA.	18mm	14mm	18mm	18mm	18mm	18mm
<b>M5</b>	<b>ISO</b>	<b>ISO</b>	<b>ISO</b>	<b>ISO</b>	<b>ISO</b>	<b>ISO</b>
	<b>M50P</b>	<b>M50F</b>	<b>M50O</b>	<b>M50T</b>	<b>M50B</b>	<b>M50R</b>
BODY DIA.	18mm	14mm	18mm	18&20mm	18mm	18mm
<b>M6</b>	<b>M60P</b>	<b>M60F</b>	<b>M60O</b>	<b>M60T</b>	<b>M60B</b>	<b>M60R</b>
BODY DIA.	18mm	14mm	18mm	23mm	23mm	18mm
<b>M8</b>	<b>M80P</b>	<b>M80F</b>	<b>M80O</b>	<b>M80T</b>	<b>M80B</b>	<b>M80R</b>
BODY DIA.	23mm	23mm	23mm	23mm	23mm	23mm



Tooling International Ltd. Unit 8, Speedwell Trading Estate,  
102 Kings Road Tyseley, Birmingham, England B11 2AT.

Tel: +44 (0) 121 771 0611 Fax: +44 (0) 121 773 6588  
Web: [www.tooling-international.co.uk](http://www.tooling-international.co.uk) Email: [til@enterprise.net](mailto:til@enterprise.net)

**REG  
ELLEN**  
**MACHINE TOOL CORP.**

**Phone: 815-964-0099**

**Fax: 815-964-0482**

**E-mail: [sales@regellen.com](mailto:sales@regellen.com)**

**Web: [www.regellen.com](http://www.regellen.com)**

